

























BOCA	Username: Administrator (site=1)	45 min(s) left
------	----------------------------------	----------------









[Runs](#) [Score](#) [Clarifications](#) [Users](#) [Problems](#) [Languages](#) [Answers](#) [Export](#)
[Tasks](#) [Site](#) [Contest](#) [Logs](#) [Reports](#) [Backups](#) [Options](#) [Logout](#)










Task #	Time	User / Site	Description	File	Staff / Site	Status	Actions
204	253	Rio382 (382) / 1	"Rio382" must have a balloon for problem A: Mania de Par 		admin(1000) / 1	done	delete return
203	251	Rio379 (379) / 1	"Rio379" must have a balloon for problem B: Bolsa de Valores 		admin(1000) / 1	done	delete return
202	242	Rio401 (401) / 1	File to print	H.c view	admin(1000) / 1	done	delete return
201	238	Rio406 (406) / 1	"Rio406" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
200	237	Rio386 (386) / 1	File to print	L.c view	RioStaff(4367) / 1	done	delete return
199	236	Rio369 (369) / 1	File to print	K.cpp view	RioStaff(4367) / 1	done	delete return
198	233	Rio379 (379) / 1	File to print	B.cpp view	admin(1000) / 1	done	delete return
197	232	Rio398 (398) / 1	"Rio398" must have a balloon for problem D: Quebra-cabeça 		admin(1000) / 1	done	delete return
196	221	Rio392 (392) / 1	File to print	H.cpp view	admin(1000) / 1	done	delete return
195	220	Rio392 (392) / 1	File to print	B.c view	admin(1000) / 1	done	delete return
194	218	Rio380 (380) / 1	File to print	A.cpp view	admin(1000) / 1	done	delete return
193	215	Rio383 (383) / 1	File to print	H.java view	admin(1000) / 1	done	delete return
192	211	Rio401 (401) / 1	File to print	B.c view	admin(1000) / 1	done	delete return
191	211	Rio375 (375) / 1	File to print	B.cpp view	admin(1000) / 1	done	delete return
190	209	Rio371 (371) / 1	"Rio371" must have a balloon for problem E: Espiral 		admin(1000) / 1	done	delete return
189	208	Rio395 (395) / 1	"Rio395" must have a balloon for problem E: Espiral 		admin(1000) / 1	done	delete return









188	204	Rio369 (369) / 1	File to print	B.cpp view	admin(1000) / 1	done	delete return
187	202	Rio378 (378) / 1	File to print	f.c view	admin(1000) / 1	done	delete return
186	201	Rio407 (407) / 1	File to print	e2.cpp view	admin(1000) / 1	done	delete return
185	199	Rio391 (391) / 1	File to print	F.c view	RioStaff(4367) / 1	done	delete return
184	199	Rio391 (391) / 1	"Rio391" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
183	193	Rio401 (401) / 1	File to print	E.cpp view	RioStaff(4367) / 1	done	delete return
182	190	Rio389 (389) / 1	File to print	e.cpp view	RioStaff(4367) / 1	done	delete return
181	188	Rio392 (392) / 1	File to print	D.cpp view	RioStaff(4367) / 1	done	delete return
180	187	Rio374 (374) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
179	187	Rio379 (379) / 1	File to print	H.cpp view	admin(1000) / 1	done	delete return
178	181	Rio371 (371) / 1	"Rio371" must have a balloon for problem A: Mania de Par 		admin(1000) / 1	done	delete return
177	177	Rio392 (392) / 1	File to print	E.c view	admin(1000) / 1	done	delete return
176	177	Rio382 (382) / 1	"Rio382" must have a balloon for problem H: Praça do Retângulo 		admin(1000) / 1	done	delete return
175	177	Rio383 (383) / 1	File to print	G.java view	admin(1000) / 1	done	delete return
174	177	Rio389 (389) / 1	File to print	a.cpp view	admin(1000) / 1	done	delete return
173	177	Rio380 (380) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
172	176	Rio378 (378) / 1	File to print	e.c view	admin(1000) / 1	done	delete return
171	176	Rio369 (369) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
170	172	Rio402 (402) / 1	File to print	D.cpp view	admin(1000) / 1	done	delete return
169	172	Rio387 (387) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
168	168	Rio401 (401) / 1	File to print	B.c view	admin(1000) / 1	done	delete return
167	168	Rio405 (405) / 1	"Rio405" must have a balloon for problem D: Quebra-cabeça 		admin(1000) / 1	done	delete return
			"Rio368" must have a balloon for				










166	166	Rio368(368) / 1	problem E: Espiral 		admin(1000) / 1	done	delete return
165	158	Rio371(371) / 1	File to print	e.cpp view	admin(1000) / 1	done	delete return
164	157	Rio374(374) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
163	157	Rio368(368) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
162	155	Rio392(392) / 1	"Rio392" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
161	152	Rio380(380) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
160	146	Rio383(383) / 1	"Rio383" must have a balloon for problem D: Quebra- cabeça 		admin(1000) / 1	done	delete return
159	144	Rio401(401) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
158	141	Rio379(379) / 1	"Rio379" must have a balloon for problem E: Espiral 		admin(1000) / 1	done	delete return
157	140	Rio383(383) / 1	Staff assistance		admin(1000) / 1	done	delete return
156	140	Rio402(402) / 1	File to print	B.cpp view	admin(1000) / 1	done	delete return
155	140	Rio405(405) / 1	File to print	B.cpp view	admin(1000) / 1	done	delete return
154	137	Rio404(404) / 1	"Rio404" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
153	133	Rio383(383) / 1	File to print	D.java view	admin(1000) / 1	done	delete return
152	133	Rio381(381) / 1	"Rio381" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
151	130	Rio378(378) / 1	File to print	e.c view	admin(1000) / 1	done	delete return
150	129	Rio391(391) / 1	File to print	E2.c view	admin(1000) / 1	done	delete return
149	129	Rio386(386) / 1	"Rio386" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
148	124	Rio385(385) / 1	"Rio385" must have a balloon for problem F:		admin(1000) / 1	done	delete return

			Fatorial 				
147	124	Rio405 (405) / 1	File to print	B.cpp view	admin(1000) / 1	done	delete return
146	123	Rio387 (387) / 1	File to print	H.cpp view	admin(1000) / 1	done	delete return
145	123	Rio379 (379) / 1	File to print	H.cpp view	admin(1000) / 1	done	delete return
144	119	Rio375 (375) / 1	"Rio375" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
143	118	Rio407 (407) / 1	File to print	e.cpp view	admin(1000) / 1	done	delete return
142	117	Rio398 (398) / 1	"Rio398" must have a balloon for problem E: Espiral 		admin(1000) / 1	done	delete return
141	114	Rio382 (382) / 1	"Rio382" must have a balloon for problem E: Espiral 		admin(1000) / 1	done	delete return
140	113	Rio384 (384) / 1	"Rio384" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
139	113	Rio386 (386) / 1	"Rio386" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
138	111	Rio396 (396) / 1	"Rio396" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
137	111	Rio371 (371) / 1	File to print	a.cpp view	admin(1000) / 1	done	delete return
136	110	Rio378 (378) / 1	File to print	f.c view	admin(1000) / 1	done	delete return
135	110	Rio378 (378) / 1	File to print	b.c view	admin(1000) / 1	done	delete return
134	106	Rio383 (383) / 1	File to print	E.java view	admin(1000) / 1	done	delete return
133	104	Rio369 (369) / 1	File to print	H.cpp view	admin(1000) / 1	done	delete return
132	104	Rio384 (384) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
131	102	Rio405 (405) / 1	File to print	B.cpp view	admin(1000) / 1	done	delete return
130	102	Rio391 (391) / 1	File to print	E.c view	admin(1000) / 1	done	delete return
129	102	Rio379 (379) / 1	File to print	E.c view	admin(1000) / 1	done	delete return
128	101	Rio394 (394) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
			"Rio389" must have a				











127	101	Rio389(389) / 1	balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
126	100	Rio389(389) / 1	File to print	f.cpp view	admin(1000) / 1	done	delete return
125	100	Rio401(401) / 1	"Rio401" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
124	97	Rio389(389) / 1	File to print	f.cpp view	admin(1000) / 1	done	delete return
123	97	Rio405(405) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
122	96	Rio373(373) / 1	"Rio373" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
121	92	Rio381(381) / 1	"Rio381" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
120	88	Rio392(392) / 1	File to print	F.c view	admin(1000) / 1	done	delete return
119	88	Rio404(404) / 1	"Rio404" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
118	86	Rio386(386) / 1	File to print	l.c view	admin(1000) / 1	done	delete return
117	86	Rio386(386) / 1	File to print	J.c view	admin(1000) / 1	done	delete return
116	85	Rio383(383) / 1	File to print	D.java view	admin(1000) / 1	done	delete return
115	82	Rio404(404) / 1	"Rio404" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
114	81	Rio382(382) / 1	File to print	A.cpp view	admin(1000) / 1	done	delete return
113	78	Rio370(370) / 1	"Rio370" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
112	78	Rio380(380) / 1	"Rio380" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
111	74	Rio400(400) / 1	"Rio400" must have a balloon for problem F:		admin(1000) / 1	done	delete return












			Fatorial 				
110	73	Rio384(384) / 1	File to print	F.cpp view	admin(1000) / 1	done	delete return
109	73	Rio375(375) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
108	72	Rio373(373) / 1	"Rio373" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
106	71	Rio386(386) / 1	Staff assistance		admin(1000) / 1	done	delete return
107	71	Rio401(401) / 1	File to print	E.cpp view	admin(1000) / 1	done	delete return
105	70	Rio395(395) / 1	"Rio395" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
104	70	Rio390(390) / 1	"Rio390" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
103	70	Rio390(390) / 1	File to print	F.cpp view	admin(1000) / 1	done	delete return
102	70	Rio371(371) / 1	"Rio371" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
101	70	Rio372(372) / 1	"Rio372" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
100	69	Rio407(407) / 1	File to print	j.cpp view	admin(1000) / 1	done	delete return
99	69	Rio407(407) / 1	File to print	f.cpp view	admin(1000) / 1	done	delete return
98	69	Rio407(407) / 1	File to print	c.cpp view	admin(1000) / 1	done	delete return
97	63	Rio383(383) / 1	"Rio383" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
96	62	Rio395(395) / 1	"Rio395" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
95	61	Rio394(394) / 1	"Rio394" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
94	60	Rio374(374) / 1	"Rio374" must have a balloon for		admin(1000) / 1	done	delete return













			problem F: Fatorial 				
93	59	Rio407(407) / 1	"Rio407" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
92	59	Rio384(384) / 1	File to print	F.cpp view	RioStaff(4367) / 1	done	delete return
91	58	Rio401(401) / 1	File to print	F.c view	RioStaff(4367) / 1	done	delete return
90	58	Rio383(383) / 1	File to print	D.java view	RioStaff(4367) / 1	done	delete return
89	55	Rio374(374) / 1	"Rio374" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
88	53	Rio404(404) / 1	File to print	jAle.cpp view	RioStaff(4367) / 1	done	delete return
87	52	Rio395(395) / 1	File to print	J.cpp view	RioStaff(4367) / 1	done	delete return
86	48	Rio390(390) / 1	File to print	J.cpp view	RioStaff(4367) / 1	done	delete return
85	48	Rio390(390) / 1	"Rio390" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
84	48	Rio391(391) / 1	File to print	J.c view	RioStaff(4367) / 1	done	delete return
83	47	Rio391(391) / 1	File to print	C.c view	RioStaff(4367) / 1	done	delete return
82	47	Rio391(391) / 1	"Rio391" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
81	47	Rio379(379) / 1	"Rio379" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
80	46	Rio400(400) / 1	"Rio400" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
79	45	Rio401(401) / 1	File to print	J.c view	RioStaff(4367) / 1	done	delete return
78	43	Rio368(368) / 1	"Rio368" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return

77	42	Rio383 (383) / 1	File to print	E.java view	RioStaff(4367) / 1	done	delete return
76	40	Rio371 (371) / 1	File to print	a.cpp view	RioStaff(4367) / 1	done	delete return
75	40	Rio387 (387) / 1	"Rio387" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
74	39	Rio382 (382) / 1	"Rio382" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
73	39	Rio402 (402) / 1	"Rio402" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
72	35	Rio389 (389) / 1	File to print	j.cpp view	RioStaff(4367) / 1	done	delete return
71	35	Rio389 (389) / 1	"Rio389" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
70	35	Rio380 (380) / 1	"Rio380" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
69	34	Rio398 (398) / 1	"Rio398" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
68	34	Rio384 (384) / 1	"Rio384" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
67	33	Rio404 (404) / 1	File to print	j.cpp view	RioStaff(4367) / 1	done	delete return
66	33	Rio378 (378) / 1	"Rio378" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
65	33	Rio392 (392) / 1	File to print	E.c view	RioStaff(4367) / 1	done	delete return
64	32	Rio394 (394) / 1	"Rio394" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return

63	32	Rio369(369) / 1	"Rio369" must have a balloon for problem F: Fatorial 🟡		admin(1000) / 1	done	delete return
62	32	Rio401(401) / 1	"Rio401" must have a balloon for problem J: Jogo de Estratégia 🟡		admin(1000) / 1	done	delete return
61	31	Rio397(397) / 1	"Rio397" must have a balloon for problem F: Fatorial 🟡		admin(1000) / 1	done	delete return
60	30	Rio383(383) / 1	"Rio383" must have a balloon for problem J: Jogo de Estratégia 🟡		admin(1000) / 1	done	delete return
59	29	Rio402(402) / 1	"Rio402" must have a balloon for problem J: Jogo de Estratégia 🟡		admin(1000) / 1	done	delete return
58	29	Rio405(405) / 1	File to print	E.cpp view	RioStaff(4367) / 1	done	delete return
57	29	Rio391(391) / 1	"Rio391" must have a balloon for problem C: Tri-du 🟢		admin(1000) / 1	done	delete return
56	29	Rio395(395) / 1	"Rio395" must have a balloon for problem C: Tri-du 🟢		admin(1000) / 1	done	delete return
55	28	Rio371(371) / 1	File to print	a.cpp view	RioStaff(4367) / 1	done	delete return
54	27	Rio394(394) / 1	File to print	B.java view	RioStaff(4367) / 1	done	delete return
53	26	Rio370(370) / 1	"Rio370" must have a balloon for problem J: Jogo de Estratégia 🟡		admin(1000) / 1	done	delete return
52	26	Rio396(396) / 1	"Rio396" must have a balloon for problem J: Jogo de Estratégia 🟡		admin(1000) / 1	done	delete return
51	26	Rio376(376) / 1	"Rio376" must have a balloon for problem J:		admin(1000) / 1	done	delete return

			Jogo de Estratégia 				
50	25	Rio385(385) / 1	"Rio385" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
49	25	Rio378(378) / 1	"Rio378" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
48	25	Rio395(395) / 1	File to print	B.cpp view	RioStaff(4367) / 1	done	delete return
47	24	Rio405(405) / 1	"Rio405" must have a balloon for problem F: Fatorial 		admin(1000) / 1	done	delete return
46	23	Rio375(375) / 1	"Rio375" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
45	22	Rio387(387) / 1	"Rio387" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
44	21	Rio379(379) / 1	"Rio379" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
43	20	Rio405(405) / 1	File to print	E.cpp view	RioStaff(4367) / 1	done	delete return
42	19	Rio374(374) / 1	"Rio374" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
41	18	Rio404(404) / 1	File to print	j.cpp view	RioStaff(4367) / 1	done	delete return
40	18	Rio397(397) / 1	"Rio397" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
39	17	Rio380(380) / 1	"Rio380" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
38	17	Rio385(385) / 1	"Rio385" must have a balloon for problem J:		admin(1000) / 1	done	delete return

			Jogo de Estratégia 				
37	17	Rio398 (398) / 1	"Rio398" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
36	16	Rio392 (392) / 1	"Rio392" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
35	16	Rio369 (369) / 1	"Rio369" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
34	16	Rio397 (397) / 1	"Rio397" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
33	15	Rio384 (384) / 1	"Rio384" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
32	15	Rio384 (384) / 1	File to print	C.cpp view	admin(1000) / 1	done	delete return
31	14	Rio383 (383) / 1	"Rio383" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
30	14	Rio368 (368) / 1	"Rio368" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
29	14	Rio398 (398) / 1	"Rio398" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
28	13	Rio382 (382) / 1	"Rio382" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
27	12	Rio371 (371) / 1	"Rio371" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return

26	12	Rio375(375) / 1	"Rio375" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
25	12	Rio405(405) / 1	"Rio405" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
24	12	Rio394(394) / 1	"Rio394" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
23	11	Rio390(390) / 1	"Rio390" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
22	11	Rio386(386) / 1	"Rio386" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
21	11	Rio368(368) / 1	"Rio368" must have a balloon for problem J: Jogo de Estratégia 		admin(1000) / 1	done	delete return
20	11	Rio381(381) / 1	"Rio381" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
19	11	Rio370(370) / 1	"Rio370" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
18	10	Rio401(401) / 1	"Rio401" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
17	10	Rio400(400) / 1	"Rio400" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
16	9	Rio406(406) / 1	"Rio406" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return
15	9	Rio376(376) / 1	"Rio376" must have a balloon for problem C: Tri-du 		admin(1000) / 1	done	delete return

14	9	Rio369(369) / 1	"Rio369" must have a balloon for problem C: Tri-du ?		admin(1000) / 1	done	delete return
13	8	Rio389(389) / 1	File to print	c.cpp view	admin(1000) / 1	done	delete return
12	8	Rio379(379) / 1	"Rio379" must have a balloon for problem C: Tri-du ?		admin(1000) / 1	done	delete return
11	8	Rio389(389) / 1	"Rio389" must have a balloon for problem C: Tri-du ?		admin(1000) / 1	done	delete return
10	8	Rio371(371) / 1	"Rio371" must have a balloon for problem J: Jogo de Estratégia ?		admin(1000) / 1	done	delete return
9	8	Rio371(371) / 1	File to print	j.cpp view	RioStaff(4367) / 1	done	delete return
8	8	Rio396(396) / 1	"Rio396" must have a balloon for problem C: Tri-du ?		admin(1000) / 1	done	delete return
7	8	Rio402(402) / 1	"Rio402" must have a balloon for problem C: Tri-du ?		admin(1000) / 1	done	delete return
6	8	Rio382(382) / 1	"Rio382" must have a balloon for problem C: Tri-du ?		admin(1000) / 1	done	delete return
5	8	Rio407(407) / 1	"Rio407" must have a balloon for problem C: Tri-du ?		admin(1000) / 1	done	delete return
4	6	Rio373(373) / 1	"Rio373" must have a balloon for problem C: Tri-du ?		admin(1000) / 1	done	delete return
3	5	Rio407(407) / 1	"Rio407" must have a balloon for problem J: Jogo de Estratégia ?		admin(1000) / 1	done	delete return
2	5	Rio392(392) / 1	"Rio392" must have a balloon for problem C: Tri-du ?		admin(1000) / 1	done	delete return

1	3	Rio405(405) / 1	"Rio405" must have a balloon for problem C: Tri-du ?		admin(1000) / 1	done	<u>delete</u> <u>return</u>
---	---	-----------------	--	--	-----------------	------	-----------------------------